

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(bearing or bearings) and ((elongate or elongated or elongating) near5 (carrier or carriers)) and (exhaust near3 volute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:13
L2	2969	(bearing or bearings) and ((elongate or elongated or elongating) near5 (carrier or carriers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:13
L3	1	(bearing or bearings) and ((elongate or elongated or elongating) near5 (carrier or carriers)) and volute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:13
L4	16	(bearing or bearings) and ((elongate or elongated or elongating) near5 (carrier or carriers)) and elastic and "anti friction"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:15
L5	1	2004-756315.NRAN.	DERWENT	OR	OFF	2005/03/25 09:15
L6	355	(bearing or bearings) and ((elongate or elongated or elongating) near5 (carrier or carriers)) and elastic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:15
L7	3	(bearing or bearings) and ((elongate or elongated or elongating) near5 (carrier or carriers)) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:16
L8	39	(bearing or bearings) and ((elongate or elongated or elongating) and (carrier or carriers)) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:56
L9	218	(bearing or bearings) and (carrier or carriers) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:59
L10	0	("2004/0200215").URPN.	USPAT	OR	OFF	2005/03/25 09:57
L11	610789	(bearing or bearings) and (carrier or carriers) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger") nad ball	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:59

L12	75	(bearing or bearings) and (carrier or carriers) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger") and ball	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:03
L13	197	(bearing or bearings) and (carrier or carriers or support or supporting or supported or supports) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger") and ball	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:04
L14	0	(bearing or bearings) and (carrier or carriers or support or supporting or supported or supports) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger") and ball and anguklar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:04
L15	66	(bearing or bearings) and (carrier or carriers or support or supporting or supported or supports) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger") and ball and angular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:04
L16	35	(ball near3 (bearing or bearings)) and (carrier or carriers or support or supporting or supported or supports) and elastic and (turbocharger or supercharger or turbo or "turbo compressor" or "turbo supercharger") and angular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:06
L17	498	417/407.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:06
L18	0	("6425743").URPN.	USPAT	OR	OFF	2005/03/25 10:25
L19	1	"3897985".PN.	USPAT; USOCR	OR	OFF	2005/03/25 10:25
L20	1	"4116502".PN.	USPAT; USOCR	OR	OFF	2005/03/25 10:26
L21	1	"4474007".PN.	USPAT; USOCR	OR	OFF	2005/03/25 10:26
L22	1	"5253985".PN.	USPAT; USOCR	OR	OFF	2005/03/25 10:26
L23	32	417/407.ccls. and (turbine near3 volute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:07

L24	32	417/407.ccls. and ((turbine or "exhaust volute") near3 volute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:19
L25	0	417/407.ccls. and ((turbine or "exhaust volute") near3 volute) and ("anti friction" near3 ball)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:18
L26	2	((turbine or "exhaust volute") near3 volute) and ("anti friction" near3 ball)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:18
L27	5	417/407.ccls. and ((turbine or "exhaust volute") near3 volute) and ball	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:20
L28	0	417/406-407.ccls. and ((turbine or "exhaust volute") near3 volute) and ball and ((coolant or cool or cooling or cooled) near3 cavity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:23
L29	1	((turbine or "exhaust volute") near3 volute) and ball and ((coolant or cool or cooling or cooled) near3 cavity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:21
L30	1	(turbine near3 volute) and ball and ((coolant or cool or cooling or cooled) near3 cavity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:21
L31	4	(turbine near3 volute) and ball and (water near3 jacket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:22
L32	0	(417/406-407.ccls. or "415"/\$.ccls.) and ((turbine or "exhaust volute") near3 volute) and ball and ((coolant or cool or cooling or cooled) near3 cavity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:24
L33	0	(417/406-407.ccls. or "415"/\$.ccls.) and (turbine near3 volute) and ball and ((coolant or cool or cooling or cooled) near3 cavity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:24

L34	7	(417/406-407.ccls. or "415"/\$.ccls.) and (ball near3 (bearing or bearings)) and ((coolant or cool or cooling or cooled) near3 cavity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:28
L35	50	(417/406-407.ccls. or "415"/\$.ccls.) and ((coolant or cool or cooling or cooled) near3 cavity) and water	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:34
L36	3	(417/406-407.ccls. or "415"/\$.ccls.) and ((coolant or cool or cooling or cooled) near3 cavity) and (water near5 jacket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:30
L37	0	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ((coolant or cool or cooling or cooled) near3 cavity) and water and ("anti friction ball bearing" or "anti friction ball bearings")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:35
L38	77	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ("anti friction ball bearing" or "anti friction ball bearings" or "anti friction roller bearing" or "anti friction roller bearings")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:36
L39	12	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ("anti friction ball bearing" or "anti friction ball bearings" or "anti friction roller bearing" or "anti friction roller bearings") and water	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:38
L40	5	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ("anti friction ball bearing" or "anti friction ball bearings" or "anti friction roller bearing" or "anti friction roller bearings") and volute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:58
L41	1841	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and (("anti friction" or antifriction) near3 (bearing or bearings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:40
L42	1762	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and (("anti friction" or antifriction) near2 (bearing or bearings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:40
L43	70	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and (("anti friction" or antifriction) near2 (bearing or bearings)) and (cool or cooled or coolant or cooling) and water	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:41

L44	0	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and (("anti friction" or antifriction) near2 (bearing or bearings)) and (cool or cooled or coolant or cooling) and water and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:41
L45	11	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and (("anti friction" or antifriction) near2 (bearing or bearings)) and (cool or cooled or coolant or cooling) and water and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:42
L46	15	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ("anti friction ball bearing" or "anti friction ball bearings" or "anti friction roller bearing" or "anti friction roller bearings") and angular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:59
L47	3	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ("anti friction ball bearing" or "anti friction ball bearings" or "anti friction roller bearing" or "anti friction roller bearings") and angular and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:13
L48	2	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ("anti friction ball bearing" or "anti friction ball bearings" or "anti friction roller bearing" or "anti friction roller bearings") and angular and tolerance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:01
L49	6	(417/406-407.ccls. or "415"/\$.ccls. or "384"/\$.ccls.) and ("anti friction ball bearing" or "anti friction ball bearings" or "anti friction roller bearing" or "anti friction roller bearings") and angular and (tolerance or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:02
L50	3634	(angular near5 (bearing or bearings)) and (tolerance or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:02
L51	261	(angular near5 (bearing or bearings)) and (tolerance or space) and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:02
L52	82	(angular near3 ("ball bearing" or "ball bearings")) and (tolerance or space) and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:03

L53	30	("384"/\$.ccls.) and (angular near3 ("ball bearing" or "ball bearings")) and (tolerance or space) and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:07
L54	53	("384"/\$.ccls.) and (angular near3 ("ball bearing" or "ball bearings")) and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:07
L55	20	(417/406-407.ccls.) and (electric near3 generator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:16
L56	85	(417/406-407.ccls. or 60/607-609.ccls.) and (electric near3 generator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:16
L57	941	(417/406-407.ccls. or 60/607-609.ccls. or "415"/\$.ccls. or "417"/\$.ccls.) and (electric near3 generator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:16
L58	147	(417/406-407.ccls. or 60/607-609.ccls. or "415"/\$.ccls. or "417"/\$.ccls.) and (electric near3 generator) and (turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:18
L59	9	(417/406-407.ccls. or 60/607-609.ccls. or "415"/\$.ccls. or "417"/\$.ccls.) and ((electric near3 generator) near3 compressor) and (turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:19
L60	10	(417/406-407.ccls. or 60/607-609.ccls. or "415"/\$.ccls. or "417"/\$.ccls.) and ((electric near3 (generator or "motor generator")) near3 compressor) and (turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:20
L61	92	((electric near3 (generator or "motor generator")) near3 compressor) and (turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:20

L62	25	((electric near3 (generator or "motor generator")) near3 compressor) and (turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (bearing or bearings)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 12:22
L63	1	((electric or electric or electrically) near3 (magnet or magnetic)) near3 compressor) and (turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (bearing or bearings)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:00

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	384/99.ccls. and (angular near3 (bearing or bearings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:12
L2	6	384/99.ccls. and (angular near3 ("ball bearing" or "ball bearings"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:12
L3	4	384/99.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:13
L4	6	384/490.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:14
L5	1	384/491.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:15
L6	22	384/492.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:24
L7	0	384/901.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:25
L8	111	384/901.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:25
L9	225	384/512.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:25
L10	20	384/512.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:27

L11	2	384/535.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:25
L12	22	"384"/\$.ccls. and (angular near3 ("ball bearing" or "ball bearings")) and (central near3 bore)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:15
L13	218	60/608.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:33
L14	1	"6481205".PN.	USPAT; USOCR	OR	OFF	2005/03/25 15:28
L15	7	"6305169"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:33